Contents

Editors' preface xi

Chairman's preface xii

SECTION I. GROWTH

I.1. Growth of tellurides

Heteroepitaxy of CdTe(1 1 1)B on Si(1 1 1): As
H. Schick, F. Bensing, U. Hilpert, U. Richter, L. Hansen, J. Wagner, V. Wagner, J. Geurts, A. Waag and G. Landwehr 1

Growth of CdTe on hydrogen-terminated Si(1 1 1)
S. Seto, S. Yamada and K. Suzuki 5

Growth of CdTe from Te excess solution and self-compensation of doped donor
K. Mochizuki 9

A new process for synthesizing high-purity stoichiometric cadmium telluride
A. Zappettini, T. Görög, M. Zha, L. Zanotti, G. Zuccalli and C. Paorici 14

Growth characteristics of CdZnTe layers in metalorganic vapor-phase epitaxy
K. Yasuda, N. Araki, H.B. Samion and M. Miyata 19

Fabrication and optical properties of ZnSeTe superlattices with sinusoidal compositional modulation
S. Lee, G. Yang, X. Liu, U. Bindley, M. Dobrowolska, J.K. Furdyna, P.M. Reimer and J.R. Buschert 25

Equilibrium partial pressures and crystal growth of $Cd_{1-x}Zn_xTe$
W. Sang, Y. Qian, W. Shi, L. Wang, J. Yang and D. Liu 30

MBE growth and characterization of ZnTe epilayers and ZnCdTe/ZnTe structures on GaAs(1 0 0) and ZnTe(1 0 0) substrates
V.I. Kozlovsky, A.B. Krysa, Yu.V. Korostelin and Yu.G. Sadofyev 35

I.2. Growth of Hg-related compounds

Self-organized growth of HgSe quantum wires
T. Tran Anh, H. Wissmann, S. Rogaschewski and M. von Ortenberg 40

Allyl-*iso*-propyltelluride, a new MOVPE precursor for CdTe, HgTe and (Hg,Cd)Te
J.E. Hails, D.J. Cole-Hamilton, J. Stevenson and W. Bell 45

I.3. Growth of oxides

ZnO growth on Si by radical source MBE
K. Iwata, P. Fons, S. Niki, A. Yamada, K. Matsubara, K. Nakahara, T. Tanabe and H. Takasu 50

Combinatorial laser MBE synthesis of 3d ion doped epitaxial ZnO thin films
Z. Jin, M. Murakami, T. Fukumura, Y. Matsumoto, A. Ohtomo, M. Kawasaki and H. Koinuma 55

Epitaxial growth of ZnO films on lattice-matched $ScAlMgO_4$(0 0 0 1) substrates
K. Tamura, A. Ohtomo, K. Saikusa, Y. Osaka, T. Makino, Y. Segawa, M. Sumiya, S. Fuke, H. Koinuma and M. Kawasaki 59

Plasma-assisted epitaxial growth of ZnO layer on sapphire
S. Yamauchi, T. Ashiga, A. Nagayama and T. Hariu 63

ZnO films grown under the oxygen-rich condition
T. Sekiguchi, K. Haga and K. Inaba 68

Hydrothermal growth of ZnO single crystals and their optical characterization
T. Sekiguchi, S. Miyashita, K. Obara, T. Shishido and N. Sakagami 72

ZnO thin films prepared by remote plasma-enhanced CVD method
K. Haga, M. Kamidaira, Y. Kashiwaba, T. Sekiguchi and H. Watanabe 77

Evolution of initial layers of plasma-assisted MBE grown ZnO on (0 0 0 1)GaN/sapphire
S.-K. Hong, H.-J. Ko, Y. Chen, T. Hanada and T. Yao 81

Two-dimensional growth of ZnO films on sapphire(0 0 0 1) with buffer layers
Y. Chen, H.-j. Ko, S.-k. Hong, T. Yao and Y. Segawa 87

Effects of substrate offset angles on MBE growth of ZnO
K. Sakurai, M. Kanehiro, K. Nakahara, T. Tanabe, Sz. Fujita and Sg. Fujita 92

I.4. Growth of Be-related compounds

Molecular beam epitaxial growth and characterization of Be(Zn)Se on Si(0 0 1) and GaAs(0 0 1)
C. Chauvet, E. Tournié and J.P. Faurie 95
ZnBeSe epitaxy layers grown by photo-assisted metalorganic chemical vapor deposition
J.Y. Zhang, D.Z. Shen, X.W. Fan, B.J. Yang and Z.H. Zheng 100
Traveling solvent growth of $ZnSe_{1-x}Te_x$ and $Be_yZn_{1-y}Se_{1-x}Te_x$ using tellurium solution
K. Maruyama, K. Suto and J.-i. Nishizawa 104
MBE growth and properties of bulk BeCdSe alloys and digital (BeSe : CdSe)/ZnSe quantum wells
S.V. Ivanov, A.A. Toropov, T.V. Shubina, A.V. Lebedev, S.V. Sorokin, A.A. Sitnikova, P.S. Kop'ev, G. Reuscher, M. Keim, F. Bensing, A. Waag, G. Landwehr, G. Pozina, J.P. Bergman and B. Monemar 109

I.5. Growth of Mg-related compounds

Metalorganic vapor-phase epitaxy of ZnMgCdSe structures on InP
M. Strassburg, M. Strassburg, U.W. Pohl and D. Bimberg 115
MOVPE growth of MgSe and ZnMgSe on (1 0 0)GaAs
P. Prete, N. Lovergine, L. Tapfer, C. Zanotti-Fregonara and A.M. Mancini 119
New type of ZnCdS/ZnMgCdS heterostructures lattice-matched to GaAs for selective-area growth
A. Avramescu, A. Ueta, K. Uesugi and I. Suemune 125
Instability and immiscibility regions in $Mg_xZn_{1-x}S_ySe_{1-y}$ alloys
V.S. Sorokin, S.V. Sorokin, V.A. Kaygorodov and S.V. Ivanov 130
Molecular beam epitaxy and optical properties of ZnCdS/ZnMgS quantum wells on GaP
K. Ichino, H. Kariya, N. Suzuki, K. Ueyama, M. Kitagawa and H. Kobayashi 135

I.6. Growth of dilute magnetic semiconductors

Self-organized quantum dots of diluted magnetic semiconductors $Cd_{1-x}Mn_xTe$
S. Kuroda, Y. Terai, K. Takita, T. Takamasu, G. Kido, N. Hasegawa, T. Kuroda and F. Minami 140
Semimagnetic (Cd,Mn)Te single quantum dots — technological access and optical spectroscopy
T. Kümmell, G. Bacher, M.K. Welsch, D. Eisert, A. Forchel, B. König, Ch. Becker, W. Ossau and G. Landwehr 150
Crystal growth of $Cd_{1-x-y}Mn_xHg_yTe_{1-z}Se_z$ by a zone-melt method using a pressurized cast ingot
K. Onodera, H. Ohba, H. Sato and S. Nagayama 154
p-Type conductivity control of ZnMnTe and CdMnTe/ZnTe quantum wells grown by molecular beam epitaxy
T. Yasuda, M.D. Duc and Y. Segawa 159
In situ reflectance difference spectroscopy of intra-Mn transitions in highly N-doped II–VI diluted magnetic semiconductors
A. Bonanni, K. Hingerl, W. Hilber, D. Stifter and H. Sitter 163
CdTe/CdMnTe lateral superlattices grown on (0 0 1) C vicinal substrates
L. Marsal, A. Wasiela, G. Fishman, F. Michelini and H. Mariette 167
MBE growth and RHEED characterization of MnSe/ZnSe superlattices on GaAs (1 0 0) substrates
I. Ishibe, Y. Nabetani, T. Kato and T. Matsumoto 172
Growth of self-organized dots of $Cd_{1-x}Mn_xTe$ on ZnTe by atomic layer epitaxy
Y. Terai, S. Kuroda and K. Takita 178
Fabrication and optical study of quantum dots, quantum wires and quantum wells of II–VI diluted magnetic semiconductors
N. Takahashi, K. Takabayashi, E. Shirado, I. Souma, J.X. Shen and Y. Oka 183

I.7. Growth of Zn- and Cd-related compounds

Crystalline structure of ZnSe and ZnSSe epilayers grown on (1 0 0)GaAs by metalorganic vapour-phase epitaxy
N. Lovergine, P. Prete, L. Tapfer and A.M. Mancini 187
Growth of hexagonal ZnCdS on GaAs(1 1 1)B and (0 0 1) substrates by MBE
H. Umeya, K. Kitamura, A. Jia, M. Shimotomai, Y. Kato, M. Kobayashi, A. Yoshikawa and K. Takahashi 192
MBE growth of ZnS and ZnCdS layers on GaP
S.A. Telfer, C. Morhain, B. Urbaszek, C. O'Donnell, P. Tomasini, A. Balocchi, K.A. Prior and B.C. Cavenett 197
Selective-area growth of ZnSe on patterned GaAs (0 0 1) substrates by molecular beam epitaxy
Y. Yamazaki, J.H. Chang, M.W. Cho, T. Sekiguchi and T. Yao 202

SECTION II. CHARACTERIZATION

II.1. Characterization of tellurides

Identification of Ag-acceptors in $^{111}Ag/^{111}Cd$ doped ZnTe and CdTe
J. Hamann, A. Burchard, M. Deicher, T. Filz, S. Lany, V. Ostheimer, F. Strasser, H. Wolf and Th. Wichert 207
Effect of deep traps on photo-generated carrier dynamics in high-resistivity CdTe
G. Ghislotti, S.M. Pietralunga and L. Ripamonti 212
Effects of wavelength upon photoluminescence properties of ZnTe layers grown by photo-assisted MOVPE
K. Hayashida, M. Nishio, H. Harada, S. Furukawa, Q. Guo and H. Ogawa 216
Photoluminescence characterization of MBE-grown $ZnTe_xSe_{1-x}$ epitaxial layers with high Te concentrations
M. Kishino, S. Tanaka, K. Senda, Y. Yamada and T. Taguchi 220
A study on photoluminescence of interface layer of ZnTe/CdTe heterostructure
Y.H. Kim, I.J. Kim, S.D. Lee, K.N. Oh, S.K. Hong, S.U. Kim and M.J. Park 225
Structural and electrical properties of CdTe layers grown on ZnTe/GaAs by hydrogen transport VPE
N. Lovergine, M. Bayhan, P. Prete, A. Cola, L. Tapfer and A.M. Mancini 229
Carrier transport and recombination in MOVPE-grown CdTe/ZnTe/GaAs and ZnTe/GaAs heterostructures
V. Mizeikis, K. Jarašiunas, N. Lovergine and P. Prete 234
Polarized photoluminescence experiments in CdTe/CdMgTe quantum Hall systems at $\nu = 1$
Y. Imanaka, T. Takamasu, G. Kido, G. Karczewski, T. Wojtowicz and J. Kossut 240
Observation and origin of the photoluminescence spectrum showing multi-band structure from strained layer superlattice of ZnS–ZnTe
Y.M. Lu, A. Kato, T. Matsumoto-Aoki, Y. Sakamoto and S. Iida 245
Photoluminescence of various $Zn_{1-x}Cd_xTe$/ZnTe heterostructures grown by MBE on GaAs(0 0 1) and ZnTe(0 0 1) substrates: temperature dependences
V.S. Bagaev, V.V. Zaitsev, E.E. Onishchenko and Yu.G. Sadofyev 250

II.2. Characterization of Hg-related compounds

Reduction of surface recombination in n-type HgZnTe ($x = 0.16$) crystal
K.H. Kim, K.N. Oh, S.M. An, D.Y. Shin, J.K. Hong, Y.H. Kim, S.U. Kim and M.J. Park 255
The minority carrier mobility of HgCdTe measured by the modulated Hall effect
J.C. Shim, Y.G. Kim, Y.T. Song, J.K. Hong, S.K. Hong, S.U. Kim and M.J. Park 260
Comparison of physical passivation of $Hg_{1-x}Cd_xTe$
W. Sang, J. Ju, W. Shi, Y. Qian, L. Wang, Y. Xia, W. Wu, J. Fang, Y. Li, J. Zhao and H. Gong 265
Structural characterization of MBE-grown HgSe:Fe layers: X-ray diffraction and Raman spectroscopy
W. Szuszkiewicz, J. Bąk-Misiuk, E. Dynowska, M. Jouanne, J.F. Morhange, H. Wissmann, T. Tran Anh and M. von Ortenberg 269
Acceptor level related Shockley–Read–Hall centers in p-HgCdTe
H. Nishino, K. Ozaki, M. Tanaka, T. Saito, H. Ebe and Y. Miyamoto 275

II.3. Characterization of oxides

Luminescence properties of ZnO films grown on GaAs substrates by molecular-beam epitaxy excited by electron–cyclotron resonance oxygen plasma
H. Kumano, A.A. Ashrafi, A. Ueta, A. Avramescu and I. Suemune 280
Lateral grain size and electron mobility in ZnO epitaxial films grown on sapphire substrates
A. Ohtomo, H. Kimura, K. Saito, T. Makino, Y. Segawa, H. Koinuma and M. Kawasaki 284
Optical spectra in ZnO thin films on lattice-matched substrates grown with laser-MBE method
T. Makino, G. Isoya, Y. Segawa, C.H. Chia, T. Yasuda, M. Kawasaki, A. Ohtomo, K. Tamura and H. Koinuma 289
Luminescent properties of ZnO thin films grown epitaxially on Si substrate
A. Miyake, H. Kominami, H. Tatsuoka, H. Kuwabara, Y. Nakanishi and Y. Hatanaka 294
Electronic structures of hexagonal ZnO/GaN interfaces
T. Nakayama and M. Murayama 299
Unusual combination repetitions of the zero phonon line of Ni acceptor excitons in ZnSe:Ni and ZnO:Ni due to photoinduced lattice vibrations
V.I. Sokolov, E.A. Shirokov, A.N. Kislov and V.G. Mazurenko 304

Time-resolved photoluminescence in ZnO epitaxial thin films studied by up-conversion method
A. Yamamoto, T. Kido, T. Goto, Y. Chen, T. Yao and A. Kasuya 308
Effects of thermal annealing of ZnO layers grown by MBE
K. Ogata, K. Sakurai, Sz. Fujita, Sg. Fujita and K. Matsushige 312

II.4. Characterization of Be-related compounds

BeTe–ZnSe type-II heterojunctions
A. Waag, M. Keim, G. Reuscher, T. Gerhard, A.V. Platonov, D.R. Yakovlev, L.W. Molenkamp and G. Landwehr 316
Wide bandgap over 3 eV and high p-doping BeZnTe grown on InP substrates by molecular beam epitaxy
S.-B. Che, I. Nomura, W. Shinozaki, A. Kikuchi, K. Shimomura and K. Kishino 321
Band offset determination in ZnSe-based heterostructures involving ZnBeSe
M. Kim, C.S. Kim, S. Lee, J.K. Furdyna and M. Dobrowolska 325
Structural properties and relaxation behavior of short-period BeTe/ZnSe superlattices
D. Gerthsen, T. Walter, F. Fischer, T. Gerhard, A. Waag and G. Landwehr 330
Photoluminescence characterization of MBE grown $Zn_{1-x}Be_xSe$
I. Kuskovsky, C. Tian, C. Sudbrack, G.F. Neumark, S.P. Guo and M.C. Tamargo 335
Electronic band structure of quaternary Be-chalcogenides, studied by ultraviolet ellipsometry and photoreflectance spectroscopy
V. Wagner, A. Fleszar, J. Geurts, G. Reuscher, M. Keim, A. Waag, G. Landwehr, K. Wilmers, N. Esser and W. Richter 340
Giant quantum-confined Pockels effect in type-II heterostructures
D.R. Yakovlev, A.V. Platonov, V.P. Kochereshko, E.L. Ivchenko, M. Keim, W. Ossau, A. Waag and G. Landwehr 345

II.5. Characterization of Mg-related compounds

Energy band gap of the alloy $Zn_{1-x}Mg_xSe_yTe_{1-y}$ lattice matched to ZnTe, InAs and InP
K. Shim, H. Rabitz, J.-H. Chang and T. Yao 350
ZnSe/ZnMgSSe structures on ZnSSe substrates
A.B. Krysa, Yu.V. Korostelin, V.I. Kozlovsky, P.V. Shapkin, H. Kalisch, R. Rüland, M. Heuken and K. Heime 355
Raman investigation of $Zn_{1-x}Mg_xSe_{1-y}Te_y$ quaternary alloys grown by molecular beam epitaxy
H. Makino, H. Sasaki, J.H. Chang and T. Yao 359
Optical and structural characterization of $Mg_xZn_{1-x}S$ mixed films grown by low-pressure MOCVD
K. Yoshimura, Y. Yamada and T. Taguchi 364
Optical properties of ZnS/ZnMgS strained-layer quantum wells
K. Ichino, N. Suzuki, H. Kariya, K. Ueyama, M. Kitagawa and H. Kobayashi 368
Properties of lattice matched ZnMgSeTe quaternary alloys grown on ZnTe substrates
J.H. Chang, M.W. Cho, H. Makino, K. Shim, H. Rabitz and T. Yao 373

II.6. Characterization of dilute magnetic semiconductors

II–VI quantum structures with tunable electron g-factor
T. Wojtowicz, M. Kutrowski, G. Karczewski, J. Kossut, B. König, A. Keller, D.R. Yakovlev, A. Waag, J. Geurts, W. Ossau, G. Landwehr, I.A. Merkulov, F.J. Teran and M. Potemski 378
Carrier-induced ferromagnetic interactions in p-doped $Zn_{(1-x)}Mn_xTe$ epilayers
D. Ferrand, J. Cibert, C. Bourgognon, S. Tatarenko, A. Wasiela, G. Fishman, A. Bonanni, H. Sitter, S. Koleśnik, J. Jaroszyński, A. Barcz and T. Dietl 387
Nonlinear properties of intraionic luminescence of Mn^{2+} in dilute magnetic semiconductors CdMnTe and CdMnMgTe
V.F. Aguekian, N.N. Vasil'ev, A.Yu. Serov and N.G. Filosofov 391
CdSe quantum dots in a $Zn_{1-x}Mn_xSe$ matrix: new effects due to the presence of Mn
C.S. Kim, M. Kim, S. Lee, J. Kossut, J.K. Furdyna and M. Dobrowolska 395
Cyclotron resonance in $Cd_{1-x}Mn_xTe$:I at very high magnetic fields
Y.H. Matsuda, N. Miura, S. Kuroda, M. Shibuya and K. Takita 400
Lifetime of red and yellow emissions of ZnS–CdS(Se,Te):Mn superlattices
T. Kiichi, K. Ito, T. Ohyama, K. Fujii, T. Ishikawa, T. Nakamura and H. Fujiyasu 405
Optical properties of undoped and Mn^{2+}-doped CdS nanocrystals in polymer
M. Tanaka, J. Qi and Y. Masumoto 410
Excitonic coherent gain induced by giant Zeeman splitting in $Cd_{1-x}Mn_xTe$ quantum wells
R. Akimoto, F. Sasaki, S. Kobayashi, K. Ando, G. Karczewski and T. Wojtowicz 415

Quasi-zero-dimensional excitons in quantum well structures of CdTe/CdMnTe
M. Godlewski, R. Narkowicz, T. Wojtowicz, J.P. Bergman and B. Monemar 420
Submillimeter wave ESR study of $Cd_{1-x}Mn_xTe$
H. Nojiri, M. Motokawa, S. Takeyama and T. Sato 424
Pressure effect on the exchange interaction in the interface region of a CdTe/CdMnTe quantum-well structure
H. Yokoi, S. Tozer, Y. Kim, S. Takeyama, T. Wojtowicz, G. Karczewski and J. Kossut 428
Interaction of localized excitons in semimagnetic quantum wells with manganese spin pairs
J. Puls and F. Henneberger 432
Novel approach to description of optical and magnetotransport data in dilute magnetic semiconductors near semimetal–semiconductor transition
G.G. Tarasov, Yu.I. Mazur, E.V. Kuz'menko, A.E. Belyaev, W. Hoerstel, W. Kraak and W.T. Masselink 436

II.7. Characterization of Zn- and Cd-related compounds

Photoluminescence fatigue of ZnSe semiconductor under ultraviolet irradiation
N.Q. Liem, J.I. Lee, V.X. Quang, D.X. Thanh, D. Kim, J.-S. Son and S.K. Noh 441
Generation of misfit dislocations due to thermally induced strain – a study by temperature-dependent HRXRD
V. Großmann, H. Heinke, K. Leonardi and D. Hommel 447
Vacancy ordering/disordering and electronic structures of $II_1III_2VI_4$ compounds
M. Ishikawa and T. Nakayama 452
Optical manifestation of stacking faults in $CdS_{1-x}Se_x$ crystals
N.R. Grigorieva, R.V. Grigoriev, E.P. Denisov, D.L. Fedorov, B.A. Kazennov and B.V. Novikov 457
Optical properties of ZnS_xSe_{1-x} ($x < 0.18$) random and ordered alloys grown by metalorganic atomic layer epitaxy
J.H. Song, E.D. Sim, K.S. Baek and S.K. Chang 460
High magnetic field cyclotron resonance in CdS: explanation of the non-monotonic temperature dependence of the cyclotron mass
J.T. Devreese, V.M. Fomin, V.N. Gladilin, Y. Imanaka and N. Miura 465
Band structure parameters of $Zn_{1-x}Cd_xSe$ investigated by spin–flip Raman spectroscopy
D. Wolverson, O.Z. Karimov, J.J. Davies, S.J.C. Irvine, M.U. Ahmed, S.A. Telfer, K.A. Prior, K. Ogata, Sz. Fujita and Sg. Fujita 469

SECTION III. DOPING

III.1. Nitrogen doping

Ab initio energy calculation of nitrogen-related defects in ZnSe
S. Gundel, D. Albert, J. Nürnberger and W. Faschinger 474
Direct observation of hydrogen passivation of nitrogen-related energy levels in ZnSe and ZnS_xSe_{1-x} grown by MBE
D. Seghier, J.T. Gudmundsson and H.P. Gislason 478
Properties of the nitrogen acceptor in $Zn_{1-x}Mg_xSe$ alloys with varying Mg concentration
C. Morhain, D. Seghier, B. Vögele, C. O'Donnell, K.A. Prior, B.C. Cavenett and H.P. Gislason 482
MBE grown BeTe and ZnBeTe films as a new p-contact layer of ZnSe-based II–VI lasers
M.W. Cho, S.K. Hong, J.H. Chang, S. Saeki, M. Nakajima and T. Yao 487
Optimization of ZnSe/ZnTe superlattice structured p-contact for ZnSe-based optical devices
T. Abe, H. Ishikura, Y. Saomoto, K. Goto, K. Masuda, T. Shirai, H. Yamada, S. Kuroda, H. Kasada and K. Ando 492
Shallow donors in ultrathin nitrogen-doped ZnSe layers – a novel or a disregarded compensation mechanism in II–VI device structures?
S. Strauf, P. Michler, J. Gutowski, M. Klude and D. Hommel 497
Electrically stable p-type doping of ZnSe grown by molecular beam epitaxy with different nitrogen activators
V.N. Jmerik, S.V. Sorokin, T.V. Shubina, N.M. Shmidt, I.V. Sedova, D.L. Fedorov, S.V. Ivanov and P.S. Kop'ev 502
Hydrogen/deuterium: a probe to investigate carrier-compensation in ZnSe:N
E. Tournié, H. Pelletier, G. Neu, B. Theys, A. Lusson, M. Teisseire, C. Chauvet and J.-P. Faurie 507
Investigation of persistent photoconductivity in nitrogen-doped ZnSe/GaAs heterojunctions grown by MBE
D. Seghier and H.P. Gislason 511

III.2. Other acceptor doping

p-Type II–VI compounds doped by rare-earth elements
A.N. Georgobiani, M.B. Kotljarevsky, V.V. Kidalov, I.V. Rogozin and U.A. Aminov 516

Pattern doping on CdTe by excimer laser irradiation
D. Mochizuki, M. Niraula, T. Aoki, T. Nagai, M. Kinoshita and Y. Hatanaka 520
Periodic doping of GaAs:Zn p-type nano-clusters in ZnSe grown by metalorganic molecular-beam epitaxy
J. Hirose, I. Suemune, A. Ueta, H. Machida and N. Shimoyama 524
Electrical properties of Sb-doped ZnSe grown by metalorganic vapor phase epitaxy
H. Goto, T. Ido and A. Takatsuka 529
Infrared absorption of Li acceptors in ZnSe
H. Nakata, K. Yamada and T. Ohyama 533

III.3. Donor doping

n-Type ZnSe crystal growth by MOVPE under atmospheric pressure with UV irradiation on stoichiometry-controlled p-type ZnSe crystals
F. Sakurai, K. Suto, Y. Oyama and J. Nishizawa 537
Anomaly in growth rate of Cl-doped ZnSe layer grown by molecular beam epitaxy
M. Yoneta, M. Ohishi, H. Saito, M. Hayashi and H. Uechi 542
In situ measurement of carrier concentration in n-ZnSe by reflectance difference spectroscopy (RDS)
N. Kumagai, T. Yasuda, T. Hanada and T. Yao 547

III.4. Co-doping and other doping methods

Unipolarity of ZnO with a wide-band gap and its solution using codoping method
T. Yamamoto and H. Katayama-Yoshida 552
Effect and comparison of co-doping of Ag, Ag + In, and Ag + Cl in ZnS:N/GaAs layers prepared by vapor-phase epitaxy
S. Kishimoto, T. Hasegawa, H. Kinto, O. Matsumoto and S. Iida 556
Study of site change of Li impurities in ZnSe by co-doping with iodine
I. Suemune, H. Ohsawa, T. Tawara, H. Machida and N. Shimoyama 562

III.5. Optical characterization of doped layers

The role of impurity bands and electron–phonon interaction in formation of near-band-edge PL spectra of compensated ZnSe
A.L. Gurskii, S.V. Voitikov, H. Hamadeh, H. Kalisch, M. Heuken and K. Heime 567
Photoluminescence and photoacoustic spectra of N-doped ZnSe epitaxial layers grown by molecular beam epitaxy
K. Yoshino, M. Yoneta, H. Saito, M. Ohishi, L.H. Chan, T. Abe, K. Ando and T. Ikari 572
Optical properties of ZnSe, ZnCdSe and ZnSSe alloys doped with iron
T.P. Surkova, P. Kaczor, A.J. Zakrzewski, K. Swiatek, V.Yu. Ivanov, M. Godlewski, A. Polimeni, L. Eaves and W. Giriat 576
Magneto-optics on p-type ZnSe epilayers: the dependence on the nitrogen doping concentration
L. Gravier, H. Makino, K. Arai, H. Sasaki, K. Kimura, S. Miwa and T. Yao 581

SECTION IV. HETEROINTERFACES, QUANTUM WELLS, AND SUPERLATTICES

IV.1. Surfaces and heterointerfaces

Analysis of cadmium diffusion in ZnSe by X-ray diffraction and transmission electron microscopy
H. Heinke, T. Passow, A. Stockmann, H. Selke, K. Leonardi and D. Hommel 585
Engineered interface properties in ZnSSe/GaAs heterovalent heterostructures
M. Funato, Sz. Fujita and Sg. Fujita 590
RHEED study of atomic steps on ZnSe surface growing on vicinal GaAs substrates
H. Abe, M. Kanemaru, T. Egawa, Y. Nabetani, T. Kato and T. Matsumoto 595

IV.2. Growth of quantum wells and superlattices

Comparative study of molecular beam and migration-enhanced epitaxy of ZnCdSe quantum wells: influence on interface and composition fluctuations
T. Seedorf, M. Cornelißen, K. Leonardi, D. Hommel, H. Selke and P.L. Ryder 602
Growth of (Zn)CdSe quantum structures on vicinal GaAs(0 0 1) substrates: step flow growth versus strain effects
T. Passow, H. Heinke, D. Kayser, K. Leonardi and D. Hommel 606

Strain distribution around the step edge of ZnSe/CdSe/ZnSe strained quantum well grown on vicinal GaAs substrate
Y. Nabetani, T. Kato and T. Matsumoto 610

IV.3. Characterization of quantum wells and superlattices

Spin-flip Raman scattering studies of II–VI heterostructures
J.J. Davies, D. Wolverson, O.Z. Karimov and I.J. Griffin 616
Investigation of mid-infrared intersubband transitions in CdS:Cl/ZnSe quantum wells
M. Göppert, R. Becker, S. Petillon, M. Grün, C. Maier, A. Dinger and C. Klingshirn 625
Spin relaxation and spin-dependent exciton interactions in ZnSe quantum wells
H. Kalt, J. Hoffmann, D. Tröndle, S. Wachter, D. Lüerßen, D. Hägele, W.W. Rühle, M. Oestreich, I.J. Blewett and I. Galbraith 630
Stacking-fault-induced pairs of localizing centers in ZnSe quantum wells
D. Lüerßen, R. Bleher, H. Kalt, H. Richter, Th. Schimmel, A. Rosenauer, D. Litvinov, A. Kamilli, D. Gerthsen, B. Jobst, K. Ohkawa and D. Hommel 634
Time-space-resolved photoluminescence from (Zn,Cd)Se-based quantum structures
K. Okamoto, H.-C. Ko, Y. Kawakami and Sg. Fujita 639
Strain-dependent negative excitonic masses in ZnCdSe/Zn(S)Se superlattices
A.Je. Semjonow and U.W. Pohl 646
Multiphonon relaxation in ZnSe/ZnCdSe superlattice
N.N. Melnik, Yu.G. Sadofyev and T.N. Zavaritskaya 651
Resonant Raman scattering of submono-layer CdSe/ZnSe superlattices
I.I. Reshina, A.A. Toropov, S.V. Ivanov, D.N. Mirlin, M. Keim, A. Waag and G. Landwehr 656
Exciton localization in cubic CdS/ZnSe type-II quantum-well structures
A. Dinger, M. Baldauf, S. Petillon, A. Hepting, D. Lüerβen, M. Grün, H. Kalt and C. Klingshirn 660
Potential profile and quantum energy level in ZnSe/CdSe/ZnSe strained quantum well grown on vicinal GaAs substrate
Y. Nabetani, T. Kato and T. Matsumoto 665
Cathodoluminescence and TEM studies of MBE-grown CdSe submonolayers in ZnSe matrix, cladded by ZnSSe, ZnSe and ZnMgSe
P.A. Trubenko, V.I. Kozlovsky and V.V. Roddatis 671
Lattice dynamical properties of cubic CdS/ZnSe strained-layer superlattices
A. Dinger, R. Becker, M. Göppert, S. Petillon, M. Grün, C. Klingshirn, J. Liang, V. Wagner and J. Geurts 676

SECTION V. NANOSTRUCTURES

V.1. Formation of quantum dots and islands

Self-assembled CdS quantum-dot structures grown on ZnSe and ZnSSe
K. Kitamura, H. Umeya, A. Jia, M. Shimotomai, Y. Kato, M. Kobayashi, A. Yoshikawa and K. Takahashi 680
Be-induced CdSe island formation in CdSe/ZnSe sub-monolayer superlattices
M. Keim, M. Korn, F. Bensing, A. Waag, G. Landwehr, S.V. Ivanov, S.V. Sorokin, A.A. Sitnikova, T.V. Shubina and A.A. Toropov 684
In situ RHEED study of CdSe/ZnSe quantum dots formation during alternate beam supply and photoluminescence properties
M. Ohishi, H. Saito, M. Yoneta, T. Ichikawa and T. Fujimoto 690
Self-assembling CdTe quantum dots on ZnSe by alternate supplying and molecular beam epitaxial method
N. Matsumura, Y. Kimura, H. Endo and J. Saraie 694
Investigations on the formation kinetics of CdSe quantum dots
D. Schikora, S. Schwedhelm, I. Kudryashov, K. Lischka, D. Litvinov, A. Rosenauer, D. Gerthsen, M. Strassburg, A. Hoffmann and D. Bimberg 698
Self-organized formation processes of CdSe quantum dots studied by reflection high-energy electron diffraction
K. Arai, T. Hanada and T. Yao 703
Structural and chemical analysis of CdSe islands in a ZnSe matrix by transmission electron microscopy
D. Gerthsen, A. Rosenauer, D. Litvinov and N. Peranio 707
Properties and self-organization of CdSe:S quantum islands grown with a cadmium sulfide compound source
E. Kurtz, M. Schmidt, M. Baldauf, S. Wachter, M. Grün, D. Litvinov, S.K. Hong, J.X. Shen, T. Yao, D. Gerthsen, H. Kalt and C. Klingshirn 712
CdSe/ZnSSe quantum islands grown by MOVPE on homoepitaxial GaAs buffers
U.W. Pohl, M. Straßburg, M. Straßburg, I.L. Krestnikov, R. Engelhardt, S. Rodt and D. Bimberg 717

Quantum island formation in CdS/ZnS heterostructures grown by MOVPE
C. Meyne, U.W. Pohl, W. Richter, M. Straßburg, A. Hoffmann, V. Türck, S. Rodt, D. Bimberg and D. Gerthsen 722
Defect-induced island formation in CdSe/ZnSe structures
T.V. Shubina, A.A. Sitnikova, V.A. Solov'ev, A.A. Toropov, I.V. Sedova, S.V. Ivanov, M. Keim, A. Waag and G. Landwehr 727
Self-organized nucleation of sharply defined nanostructures during growth into shadow masks
C. Schumacher and W. Faschinger 732

V.2. Optical characterization of quantum dots and islands

Spin and exchange effects in CdSe/ZnSe quantum dots probed by single-dot spectroscopy
R. Weigand, J. Seufert, G. Bacher, V.D. Kulakovskii, T. Kümmell, A. Forchel, K. Leonardi and D. Hommel 737
Fine structure of the exciton in a single asymmetric CdTe quantum dot
L. Besombes, L. Marsal, K. Kheng, T. Charvolin, L.S. Dang, A. Wasiela and H. Mariette 742
Dephasing and interaction of excitons in CdSe/ZnSe islands
H.P. Wagner, H.-P. Tranitz, H. Preis, W. Langbein and J.M. Hvam 747
Photoluminescence core-level excitation of CdSe quantum dot structures
K. Maehashi, K. Kobayashi, T. Ota, H. Nakashima, Y. Ishiwata and S. Shin 752
Optical identification of quantum dot types in CdSe/ZnSe structures
M. Straßburg, Th. Deniozou, A. Hoffmann, S. Rodt, V. Türck, R. Heitz, U.W. Pohl, D. Bimberg, D. Litvinov, A. Rosenauer, D. Gerthsen, S. Schwedhelm, I. Kudryashov, K. Lischka and D. Schikora 756
Optical observation of quantum-dot formation in sub-critical CdSe layers grown on ZnSe
C.S. Kim, M. Kim, S. Lee, J.K. Furdyna, M. Dobrowolska, H. Rho, L.M. Smith and H.E. Jackson 761
Time-resolved photoluminescence of ZnCdSe single quantum dots
B.P. Zhang, Y.Q. Li, T. Yasuda, Y. Segawa, K. Edamatsu and T. Itoh 765
Temperature dependence of photoluminescence spectra of self-organized CdSe quantum dots
Y. Murase, T. Ota, N. Yasui, A. Shikimi, T. Noma, K. Maehashi and H. Nakashima 770
Fine structure of the exciton groundstate in self-assembled CdSe quantum dots
J. Puls, M. Rabe and F. Henneberger 774
Micro-photoluminescence from CdSe quantum dots
T. Ota, Y. Murase, T. Noma, K. Maehashi, H. Nakashima, K. Oto and K. Murase 778
Raman characterization of CdTe/CdS-"core-shell"-clusters in colloids and films
B. Schreder, T. Schmidt, V. Ptatschek, L. Spanhel, A. Materny and W. Kiefer 782

V.3. Quantum wires

Raman investigation of $Cd_xZn_{1-x}Se$/ZnSe quantum wires: length dependence of the strain relaxation
B. Schreder, T. Kümmell, G. Bacher, A. Forchel, G. Landwehr, A. Materny and W. Kiefer 787
Resonance Raman spectroscopy and excitation profile of $Cd_xZn_{1-x}Se$/ZnSe quantum wires
B. Schreder, T. Kümmell, G. Bacher, A. Forchel, G. Landwehr, A. Materny and W. Kiefer 792

SECTION VI. EXCITONS

VI.1. Recombination dynamics of excitons

Recombination dynamics of excitons in $Cd_{1-x}Mn_xTe$ epilayers and quantum wells by time-resolved photoluminescence
M.C. Debnath, J.X. Shen, E. Shirado, I. Souma, T. Sato, R. Pittini and Y. Oka 797
Coexistence of excitons and free carriers in $Cd_{1-x}Mn_xTe$/ZnTe multiple-quantum wells
R. Pittini, J.X. Shen, M. Takahashi and Y. Oka 801
Dynamics of excitons near the mobility edge in CdSe/ZnSe superlattices
A.A. Toropov, T.V. Shubina, A.V. Lebedev, S.V. Sorokin, S.V. Ivanov, G.R. Pozina, J.P. Bergman and B. Monemar 806
Excitonic absorption and gain in ZnSe
Q.Y. Peng, T. Schmielau, G. Manzke and K. Henneberger 810

VI.2. Biexcitons

Magneto-luminescence spectroscopy of biexcitons in ZnS epitaxial layers
Y. Yamada, T. Sakashita, H. Watanabe, H. Kugimiya, S. Nakamura and T. Taguchi 815
Biexcitons in CdMnTe/CdTe/CdMgTe single quantum well
S. Adachi, Y. Takagi and S. Takeyama 819

VI.3. Charged excitons

Magneto-optics of charged excitons in ZnSe/ZnMgSSe quantum wells
D.R. Yakovlev, H.A. Nickel, B.D. McCombe, A. Keller, G.V. Astakhov, V.P. Kochereshko, W. Ossau, J. Nürnberger, W. Faschinger and G. Landwehr 823
A detailed study of the dynamics of charged excitons in CdTe/CdMgZnTe quantum wells
E. Vanelle, D. Brinkmann, P. Gilliot, M. Paillard, X. Marie, T. Amand, B. Hönerlage, J. Cibert and S. Tatarenko 827
The trion spin-singlet and -triplet states in ZnSe single quantum wells
O. Homburg, P. Michler, K. Sebald, J. Gutowski, H. Wenisch and D. Hommel 832
Oscillator strengths of charged excitons: combining magnetoabsorption and photoluminescence dynamics in semimagnetic quantum wells
P. Kossacki, V. Ciulin, J. Cibert, Y. Merle d'Aubigné, A. Arnoult, C. Bourgognon, A. Wasiela, S. Tatarenko, J.-L. Staehli, J.D. Ganière, B. Deveaud and J.A. Gaj 837
Dephasing of negatively charged excitons in ZnMgSe/ZnSe single quantum wells
H.-P. Tranitz, R. Schuster and H.P. Wagner 842

SECTION VII. NONLINEAR OPTICS

Four-wave-mixing spectroscopy of localized excitons in $CdS_{1-x}Se_x$
A. Dinger, R. Ell, A. Reznitsky and C. Klingshirn 847
Intensity dependence of signals obtained in four-wave-mixing geometry: influence of higher-order contributions
B. Haase, U. Neukirch, J. Meinertz, J. Gutowski, V.M. Axt, G. Bartels, A. Stahl, J. Nürnberger and W. Faschinger 852
Line shape of four-wave-mixing signals: dependence on sample geometry and excitation conditions
B. Haase, U. Neukirch, J. Gutowski, J. Nürnberger, W. Faschinger, M. Behringer, D. Hommel, V.M. Axt, G. Bartels and A. Stahl 856
Nonlinear polaritons in II–VI MQW heterostructures
M. Santer, J. Meinertz, J. Gutowski and M.F. Pereira Jr. 862
Sub-nanosecond all-optical switching in CdZnTe
A. Zappettini, L. Cerati, A. Milani, S.M. Pietralunga and M. Martinelli 866

SECTION VIII. BULK CRYSTALS

VIII.1. Growth of bulk crystals

Seeded-vapour-phase free growth and characterization of ZnTe single crystals
Yu.V. Korostelin, V.I. Kozlovsky and P.V. Shapkin 870
Melt growth of twin-free ZnSe single crystals
J.F. Wang, A. Omino and M. Isshiki 875
Growth and characterisation of bulk $Zn_{1-x}Be_xSe$, $Zn_{1-x-y}Mg_xBe_ySe$ and $Zn_{1-x}Be_xTe$ crystals
F. Firszt, S. Łęgowski, H. Męczyńska, J. Szatkowski, A. Banasiak, W. Paszkowicz, U. Falke, S. Schultze and M. Hietschold 880
Characterization of $Cd_{1-x}Mn_xTe$ crystals grown by the Bridgman method and the zone melt method
H. Sato, K. Onodera and H. Ohba 885
The effect of (Al, I) impurities and heat treatment on lattice parameter of single-crystal ZnSe
H. Udono, I. Kikuma and Y. Okada 889
Solid-phase recrystallization of ZnS ceramics in phase transition region
K. Lott, G. Anan'eva and E. Gorokhova 894

VIII.2. Characterization of bulk crystals

Weak- and strong-field magnetooptics of wurtzite CdSe: parameters of quasi-cubic approximation
A.B. Kapustina, B.V. Petrov, A.V. Rodina and R.P. Seisyan 899
Hall effect investigations of $Cd_{1-x}Mg_xSe$ and $Zn_{1-x}Mg_xSe$ bulk crystals
K. Perzyńska, F. Firszt, S. Łęgowski, H. Męczyńska, J. Szatkowski, M. Biernacka, A. Gajlewicz, S. Tarasenko and P. Zaleski 904
Drift mobility measurements on undoped $Cd_{0.9}Zn_{0.1}Te$ grown by high-pressure Bridgman technique
K. Suzuki, A. Iwata, S. Seto, T. Sawada and K. Imai 909
Characterization of electro-optic shielding effect in bulk CdTe:In crystals
A. Milani, E. Bocchi, A. Zappettini, S.M. Pietralunga and M. Martinelli 913

SECTION IX. PHOSPHORS AND ELECTROLUMINESCENCE

Recent progress in the development of full color SrS-based electroluminescent phosphors
C.J. Summers, B.K. Wagner, W. Tong, W. Park, M. Chaichimansour and Y.B. Xin 918
"Quantum-confined atoms": novel luminescent centers for future II–VI devices
R.N. Bhargava 926
Luminescent properties of $Zn_xMg_{1-x}S$:Mn thin film electroluminescent devices
R. Inoue, M. Kitagawa, Y. Horii, S. Kinba, T. Nishigaki, K. Ichino, S. Tanaka and H. Kobayashi 931
Efficient luminescence from Sm-doped ZnSSe/undoped-ZnS multi-quantum wells
H. Yamada, M. Tanaka, T. Maruyama, Y. Masumoto, T. Yao and K. Akimoto 935
The effect of cadmium doping on the photoluminescence in CaS at 77 and 295 K
B. Ray, J.C. Bickerton, J.W. Brightwell and I.V.F. Viney 939
Energy levels of defects in electroluminescent ZnS:Mn thin films exhibiting hysteresis and self-organized patterns
N.A. Vlasenko, Z.L. Denisova, L.I. Veligura, S. Zuccaro, F.-J. Niedernostheide and H.-G. Purwins 944
Hot-wall deposition using alternative source supply for SrS based electroluminescent phosphor thin films
K. Ohmi, T. Fujiwara, H. Fukada, S. Tanaka and H. Kobayashi 950
Quenching mechanism of luminescence in Sm-doped ZnS
T. Maruyama, H. Yamada, T. Mochizuki, K. Akimoto and E. Yagi 954
Optical properties of Te-doped $Ca_xSr_{1-x}S$
T. Kato, H. Kagawa and H. Kanie 958
Dependence of luminescent properties of blue-emitting CaS:Cu,F thin films on annealing condition
A. Kawasumi, T. Nakajima, H. Kominami, Y. Nakanishi and Y. Hatanaka 963

SECTION X. DEFECTS

Defect complexes formed with Ag atoms in CdTe, ZnTe, and ZnSe
H. Wolf, T. Filz, V. Ostheimer, J. Hamann, S. Lany and Th. Wichert 967
Compensating related defects in In-doped bulk CdTe
S. Seto, K. Suzuki, V.N. Abastillas Jr. and K. Inabe 974
Passivation and reactivation of shallow level defects in p-CdTe after low-energy hydrogen implantation
U. Reislöhner, N. Achtziger, C. Hülsen and W. Witthuhn 979
Deep-level transient spectroscopy and cathodoluminescence of $Cd_xZn_{1-x}Te$/ZnTe QW structures grown on GaAs(100) by MBE
V.I. Kozlovsky, Yu.G. Sadofyev and V.G. Litvinov 983
Reversible conductivity control and quantitative identification of compensating defects in ZnSe bulk crystals
M. Prokesch, K. Irmscher, J. Gebauer and R. Krause-Rehberg 988

SECTION XI. MICROCAVITIES AND DBRS

Excitons, microcavity physics and devices in wide bandgap semiconductors
A.V. Nurmikko 993
Mechanisms of polariton stimulation in a microcavity
R. André, F. Boeuf, R. Romestain, L.S. Dang, E. Péronne, J.F. Lampin, D. Hulin and A. Alexandrou 1002
Polariton–biexciton transitions in a ZnSe-based microcavity
U. Neukirch, S.R. Bolton, N.A. Fromer, L.J. Sham and D.S. Chemla 1010
Micro-cavity lasing of optically excited CdS thin films at room temperature
D.M. Bagnall, B. Ullrich, H. Sakai and Y. Segawa 1015
MOVPE growth of ZnSe/ZnMgS distributed Bragg reflectors with high refractive-index contrast
T. Tawara, I. Suemune and S. Tanaka 1019
Enhancement of spontaneous emission by ZnS-based II–VI semiconductor photonic dots
A. Ueta, A. Avramescu, I. Suemune, H. Machida and N. Shimoyama 1024

SECTION XII. APPLICATIONS

XII.1. Lasers

Current status and future prospects of ZnSe-based light-emitting devices
S. Itoh, K. Nakano and A. Ishibashi 1029
Microscopic defect induced slow-mode degradation in II–VI based blue–green laser diodes
M. Adachi, Z.M. Aung, K. Minami, K. Koizumi, M. Watanabe, S. Kawamoto, T. Yamaguchi, H. Kasada, T. Abe, K. Ando, K. Nakano, A. Ishibashi and S. Itoh 1035

Influence of driving conditions on the stability of ZnSe-based cw-laser diodes
M. Klude, M. Fehrer, V. Großmann and D. Hommel 1040
Low threshold II–VI laser diodes with transversal and longitudinal single-mode emission
M. Legge, G. Bacher, A. Forchel, M. Klude, M. Fehrer and D. Hommel 1045
High-resolution X-ray diffraction study of degrading ZnSe-based laser diodes
T. Gerhard, D. Albert and W. Faschinger 1049
Lateral-index-guided ZnCdSSe lasers
M. Straßburg, O. Schulz, U.W. Pohl, D. Bimberg, M. Klude and D. Hommel 1054

XII.2. LEDs

Full-color light-emitting diodes from ZnCdMgSe/ZnCdSe quantum well structures grown on InP substrates
M.C. Tamargo, W. Lin, S.P. Guo, Y. Guo, Y. Luo and Y.C. Chen 1058
ZnSe-based white LEDs
K. Katayama, H. Matsubara, F. Nakanishi, T. Nakamura, H. Doi, A. Saegusa, T. Mitsui, T. Matsuoka, M. Irikura, T. Takebe, S. Nishine and T. Shirakawa 1064
ZnSe/BeTe type-II LEDs emitting between 640 and 515 nm
G. Reuscher, M. Keim, H.J. Lugauer, A. Waag and G. Landwehr 1071
Internal photoluminescence in ZnSe homoepitaxy and application in blue–green–orange mixed-color light-emitting diodes
H. Wenisch, M. Fehrer, M. Klude, K. Ohkawa and D. Hommel 1075
ZnTe pure green light-emitting diodes fabricated by thermal diffusion
K. Sato, M. Hanafusa, A. Noda, A. Arakawa, M. Uchida, T. Asahi and O. Oda 1080
Design of new UV/blue/green light emitters made of hexagonal-phase ZnMgCdOSSe mixed-crystal system fabricated on GaAs- and InP-(1 1 1) substrates
A. Jia, T. Furushima, M. Kobayashi, Y. Kato, M. Shimotomai, A. Yoshikawa and K. Takahashi 1085
Room-temperature 340 nm ultraviolet electroluminescence from ZnS-based light-emitting diodes
S. Nakamura, Y. Yamada and T. Taguchi 1091
Efficient blue–green light-emitting diodes of ZnSSe:Te/ZnMgSSe DH structure grown by molecular-beam epitaxy
H.C. Lee, T. Abe, M. Watanabe, Z.M. Aung, M. Adachi, T. Shirai, H. Yamada, S. Kuroda, H. Kasada and K. Ando 1096

XII.3. Detectors

Status of HgCdTe-MBE technology for producing dual-band infrared detectors
R.D. Rajavel, P.D. Brewer, D.M. Jamba, J.E. Jensen, C. LeBeau, G.L. Olson, J.A. Roth, W.S. Williamson, J.W. Bangs, P. Goetz, J.L. Johnson, E.A. Patten and J.A. Wilson 1100
Characterisation of dark current in novel $Hg_{1-x}Cd_xTe$ mid-wavelength infrared photovoltaic detectors based on n-on-p junctions formed by plasma-induced type conversion
M.H. Rais, C.A. Musca, J. Antoszewski, J.M. Dell, B.D. Nener and L. Faraone 1106
The comparison on the performance of a gamma-ray spectrometer with the variation of Pt(Au)/CdZnTe/Pt(Au) interface
S.H. Lee, I.J. Kim, Y.J. Choi, J.K. Hong, H.K. Lee, Y.C. Chung, Y. Yi, S.U. Kim and M.J. Park 1111
Performance of CdTe gamma-ray detectors fabricated in a new M–π–n design
M. Niraula, D. Mochizuki, T. Aoki, Y. Tomita and Y. Hatanaka 1116
Growth of CdZnTe and CdSeTe crystals for p–i–n radiation detectors
D. Noda, T. Aoki, Y. Nakanishi and Y. Hatanaka 1121
Temperature dependence of the responsivity of ZnS-based UV detectors
I.K. Sou, Z.H. Ma, Z.Q. Zhang and G.K.L. Wong 1125
High quantum efficiency blue–ultraviolet ZnSe pin photodiode grown by MBE
H. Ishikura, N. Fukuda, M. Itoi, K. Yasumoto, T. Abe, H. Kasada and K. Ando 1130
Demonstration of blue-ultraviolet avalanche photo-diodes of II–VI wide bandgap compounds grown by MBE
T. Abe, H. Ishikura, N. Fukuda, Z.M. Aung, M. Adachi, H. Kasada and K. Ando 1134
High-sensitivity p–i–n-detectors for the visible spectral range based on wide-gap II–VI materials
W. Faschinger, M. Ehinger and T. Schallenberg 1138

XII.4. Solar cells

Characterization of CdS thin film in high efficient CdS/CdTe solar cells
M. Tsuji, T. Aramoto, H. Ohyama, T. Hibino and K. Omura 1142

Optical and electrical characterizations of highly efficient CdTe thin film solar cells prepared by close-spaced sublimation
T. Okamoto, A. Yamada and M. Konagai 1148

SECTION XIII. LATE NEWS PAPERS

Performance improvement of CdZnTe detectors using modified two-terminal electrode geometry
K. Parnham, J.B. Glick, Cs. Szeles and K.G. Lynn 1152
n- And p-type post-growth self-doping of CdTe single crystals
V. Lyahovitskaya, L. Chernyak, J. Greenberg, L. Kaplan and D. Cahen 1155
Two-dimensional localization of excitons in QWs formed by II–VI solid solutions
S. Permogorov, A. Klochikhin, A. Reznitsky, L. Tenishev, S. Ivanov, S. Sorokin and C. Klingshirn 1158
Phonon relaxation in CdSSe semiconductor quantum dots studied by femtosecond time-resolved resonant four-wave mixing spectroscopy
P. Waltner, A. Materny and W. Kiefer 1160
ZnSe:Sb/ZnSe:Cl heteroepitaxial LED grown by MOVPE
H. Kalisch, H. Hamadeh, R. Rüland, J. Berntgen, A. Krysa and M. Heuken 1163

Author index 1166

Subject index 1188

CONTENTS direct

This journal is part of **ContentsDirect,** the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**